

Dr. David C. Longcope & Dr. Jessica M. Gowing

4600 E Hale Pkwy Suite 430 Denver, CO 80220
Phone (303) 377 6401 Fax (303) 377 6951
www.denvercolorectal.com

AFTERCARE FOR A THROMBOSED EXTERNAL HEMORRHOID/SKIN TAG

A thrombosed external hemorrhoid is a blood clot within the hemorrhoidal veins beneath the skin. Today, the hemorrhoid, the clot, and part of the overlying skin were removed.

DISCOMFORT

There will be pain when the local anesthetic wears off; usually this takes about an hour. You may take the prescribed pain medication or Tylenol or Ibuprofen. Avoid Aspirin as this can cause additional bleeding. Continue other pain medication as prescribed by your physician. Soaking in a tub will also help the pain. It is normal to experience some pain while passing stools. You may also have a small amount of blood while passing stool. Placing ice on the area **the day of** the procedure can help with discomfort.

WOUND CARE

Anal hygiene is very important during the healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting healing process. Soak in a tub twice a day starting <a href="https

BLEEDING

Some bleeding is normal and will usually stop on its own. If the bleeding is soaking through the gauze, then lay on your side and place pressure on the wound gauze, tissue, or a rolled-up washcloth for 10-15 minutes. If this does not stop it, please call the office, or go to the emergency room. This is not common and rarely occurs after the first day.

DIET

A regular high fiber diet is recommended. Drink plenty of liquids to avoid constipation. 1 tablespoon of Metamucil of Citrucel daily can help regularity during the healing process.

FOLLOW-UP

A follow-up appointment is not required but please call or come in if you have any concerns. As mentioned previously, this should be healed in 7-10 business days. If it is not, please make an appointment to be seen. If you would feel more comfortable having this checked to ensure adequate healing, then feel free to make an appointment at any time.